

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 463 052 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

29.09.2004 Bulletin 2004/40

(51) Int Cl.7: G11B 19/02, G06F 3/033

(21) Application number: 03006663.3

(22) Date of filing: 25.03.2003

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT SE SI SK TR

Designated Extension States:

AL LT LV MK RO

(71) Applicant: DEUTSCHE THOMSON-BRANDT
GMBH

78048 Villingen-Schwenningen (DE)

(72) Inventors:

- Hörentrup, Jobst
30161 Hannover (DE)

• Adolph, Dirk

30952 Ronnenberg (DE)

• Ostermann, Ralf

30167 Hannover (DE)

• Schiller, Harald

30539 Hannover (DE)

• Li, Hui

30419 Hannover (DE)

(74) Representative: Rittner, Karsten, Dr. et al
Deutsche Thomson-Brandt GmbH,
European Patent Operations,
Karl-Wiechert-Allee 74
30625 Hannover (DE)

(54) Method for representing animated menu buttons

(57) Optical storage media often contain data structures for a menu suitable for selection of a title, a chapter, a parameter or others. Such menus usually comprise a number of buttons to be displayed, with each button having a state. Possible states of buttons are "unselected", "selected" or "activated". According to the invention, the representation of a menu button may vary,

depending on its state. An image or an image sequence, e.g. cartoon, may be associated to a buttons state, providing user animation. Further, a sound or sound sequence, e.g. melody or click, may be associated to a buttons state, and may be played back when the button enters this state. A data structure is disclosed which allows storage of such menu data e.g. on a Blu-ray disc.




Fig. 1

DescriptionField of the invention

5 [0001] This invention relates to a method for adding animated menu buttons to an optical storage medium.

Background

10 [0002] Today's optical storage media formats are capable of supporting visual menus, e.g. for content management or control functions. Applications of such visual menus are the selection of one out of multiple titles on the disc, the selection of a chapter within a title, and others. From the user perspective, such menus consist of a number of buttons shown on the display. The user may navigate within the menu, e.g. by pushing the up, down, left and right buttons on his remote control to select a menu button, and may activate a menu button through some kind of "OK" button on the remote control. An indicator, usually a highlight or an arrow, may provide feedback to the user, showing which button is currently selected or activated. A menu button may have one of the states "normal", "selected" or "activated".

15 [0003] However, known DVD menus are rather limited concerning extra features, since they contain only static visual buttons.

[0004] Further, a subtitling specification contained in the document "ETS 300 743: Digital Video Broadcasting (DVB); Subtitling System" (DVB-ST), provided by the European Telecommunication Standardization Institute (ETSI), is known for embedding subtitles into video sequences.

Summary of the invention

25 [0005] The present invention may be utilized to give more feedback to the user who operates a menu related to an optical storage medium. The feedback comprises visually and/or aurally animated buttons. A method to provide such feedback is disclosed in claim 1.

[0006] A storage medium that contains an animated menu is disclosed in claim 9.

[0007] An apparatus suitable for presenting such menu is disclosed in claim 10.

30 [0008] According to the invention, a menu button shown on a display may look different, depending on its state. The state may be "normal", "selected" or "activated", and for each of these states the button may have different color or shape. Additionally, a sound or sound sequence may be attached to some or all menu buttons, depending on the buttons state. Examples for sounds are a click or a melody, or a speech sequence. The current invention provides a data structure by which those additional features can be described.

35 [0009] Advantageous embodiments of the invention are disclosed in the dependent claims, the following description and the figure.

Brief description of the drawing

40 [0010] An exemplary embodiment of the invention is described with reference to the accompanying drawing in Fig. 1, which shows an on-screen menu according to the invention, and a corresponding remote control.

Detailed description of the invention

45 [0011] Fig.1 shows a video screen 1 containing a menu that comprises buttons 2,3 and related text describing the buttons. When a user presses a button 5,6 on a remote control 4, the state of a button 2,3 may change, and also the representation of the button. In Fig.1 one button 2 is selected, and thus looks different from the unselected buttons 3. When the user e.g. presses the "right" button 6 on the remote control, another button 3 is selected being right from the currently selected button 2. When the user presses the "OK" button 5, the selected button is activated, and the function associated with the selected button is performed. The selected button 2 according to the invention is animated, e.g. has another color and another shape than an unselected button 3, and its color or shape may change. Particularly, the button may also be replaced by a moving symbol, a moving cartoon or the like, depending on the state.

50 [0012] A preferred embodiment of the invention is based on the syntax and semantics of the subtitling specification contained in the document "ETS 300 743: Digital Video Broadcasting (DVB); Subtitling System" (DVB-ST), provided by the European Telecommunication Standardization Institute (ETSI). To provide enhanced capabilities for menus relating to optical storage media, the page composition segment defined in DVB-ST is extended to describe animated menu buttons and to associate a sound or sound sequence to a button. The enhanced page composition segment is herein called a "menu page composition segment".

55 [0013] This invention, like DVB-ST, uses page composition segments to describe the position of one or more rec-

tangular regions on the display, assuming that a region contains a representation of one button in a certain state, e.g. as pixel data or bitmap. Each button image is thus addressable through an identifier (ID), or "region_id". In this embodiment of the invention, backward compatibility is kept with DVB-ST by using an associated segment type ID for the menu page composition segment. The menu page composition segment is defined as listed in Tab.1.

[0014] The "menu page composition segment" according to the invention may also replace the original page composition segment, e.g. in DVB-ST. A menu page composition segment describes a menu and provides the necessary layout and timing information as well as additional control information.

[0015] In one embodiment of the invention, being a simple case with static menus, each button is represented by e.g. three images. A first image represents the button in the "normal" state, a second image represents the button in the "selected" state and a third image represents the button in the "activated" state. These images may be stored e.g. as bitmap files on the storage medium, and may be used to display the menu.

[0016] In another embodiment, going beyond static menus, the menu page composition segment also allows to describe animated buttons. In this case, the "normal" state and the "selected" state of a button are each represented through a series of images that are displayed, and may be e.g. cyclically repeated, on the screen to achieve the animation effect. Also for the "activated" state of a button an animation can be defined, but here it may be advantageous to display the animation phases only once, because the menu will usually disappear or be modified after a button was activated.

[0017] For all button animations of a menu the menu author can specify an animation frame rate, defining how long each phase of an animation is displayed.

[0018] Advantageously, the invention also provides the possibility to give aural feedback to the user. If a button is either in the "selected" state or in the "activated" state, it may be assigned a sound identifier associated with a sound, which may be stored on the storage medium. The associated sound is played back when the button enters the respective button state. In one embodiment of the invention the associated sound is played back repeatedly, as long as the button is in the respective state.

[0019] The structure of the menu page composition segment and the semantics of the fields of the menu page composition segment are based on the structure and semantics given in DVB-ST, Section 7.2.1 "Page composition segment". Additional semantics definitions are used for an enhanced menu according to the invention.

[0020] Tab.1 shows the structure of a menu page composition segment according to the invention. Lines 1-8 are identical to the subtitle segment of the DVB-ST standard, giving the possibility to keep backward compatibility. The meaning of the fields shown in Tab.1 is described in the following. The addressing of pixels is based on a coordinate system whose origin is defined by the top-left corner of the associated video screen. Pixel addresses increase from left to right and from top to bottom. The dimensions of the associated video are defined as video_width * video_height.

	Field	Size	Type
1	menu_page_composition_segment () {		
2	sync byte	8	bslbf
3	segment_type	8	bslbf
4	page_id	16	bslbf
5	segment_length	16	uimsbf
6	page_time_out	8	uimsbf
7	page_version_number	4	uimsbf
8	page_state	2	bslbf
9	animation_frame_rate_code	4	uimsbf
10	reserved	6	bslbf
11	while (processed_length < segment_length) {	8	uimsbf
12	button_number	16	uimsbf
13	button_horizontal_address	16	uimsbf
14	button_vertical_address		
15	neighbour_info()	8	uimsbf
16	upper_button_number	8	uimsbf
17	lower_button_number	8	uimsbf
18	left_button_number	8	uimsbf
19	right_button_number		
20	normal_state_info()	8	uimsbf
21	start_region_id_normal	8	uimsbf
22	end_region_id_normal	8	uimsbf
23	selected_state_info()	16	uimsbf
24	start_region_id_selected	8	uimsbf
25	end_region_id_selected	8	uimsbf
26	action_state_info()		
27	start_region_id_activated	8	uimsbf
28	end_region_id_activated	8	uimsbf
29	button_command_info()		
30	sound_info()		
31	selected_sound_id	8	uimsbf
32	activated_sound_id	8	uimsbf
33	}		
34	}		

Tab.1: Syntax of a menu page composition segment

A segment is generally a data unit within the storage area.

The *segment_type* defines its type. The menu page

composition segment may be identified by setting e.g.

segment_type = 0x18, since this value is not used in DVB-ST

yet. The other fields in lines 2-8 of Tab.1 define the

segment data set.

[0021] The *animation_frame_rate_code* field specifies the frame rate of animations in the case of animated buttons being used. It applies to a range of regions specified by *start_region_id_xxx* and *end_region_id_xxx*, with the "xxx" referring the state of a button. If a *start_region_id_xxx* and its corresponding *end_region_id_xxx* differ, they define a range of regions that shall be presented with this animation frame rate. For the normal and selected state, the presentation may be cyclically repeated; for the "activated" state, the presentation shall be performed only once. When any

start_region_id_xxx is identical to the associated end_region_id_xxx, this designates a static or non-animated button state. Only the region designated by start_region_id_xxx is displayed, and for that button state the animation_frame_rate_code shall have no meaning.

[0022] Tab.2 shows an exemplary list of animation_frame_rate_codes. An animation may be visible at full video frame rate, e.g. 30 pictures per second, meaning that with each video frame another phase of the animation is displayed. It may also be sufficient to display only with every other video frame another phase of the animated button, thus achieving another effect. Further, it is possible to define the frame rate to either be relative or absolute. Therefore the values of the animation_frame_rate_code field have two different meanings, depending on if an associated video is present. In this case the animation_frame_rate_code gives the animation frame rate relative to the video frame rate, otherwise it gives the absolute frame rate.

Tab.2:

Example of animation_frame_rate_code		
animation_frame_rate_code	Relative animation frame rate	Abs. animation Frame rate
0x0	Reserved	Reserved
0x1	Full video frame rate	30 Hz
0x2	½ of video frame rate	15 Hz
0x3	¼ of video frame rate	8 Hz
0x4	1/8 of video frame rate	4 Hz
0x5	1/16 of video frame rate	2 Hz
0x6	1/32 of video frame rate	1 Hz
0x7 - 0xF	reserved	Reserved

[0023] The button_number field specifies a number that is an internal identifier for a button, and is used for the fields defined below, e.g. the neighbour_info() field. Additionally, when button_number is entered directly through the user interface (UI), the associated button may be activated. Therefore a button_number is unique within the menu. It may be e.g. a two-digit number in the range between 0 and 99.

[0024] Some fields used for menu animation according to the invention must be specified separately for each button. They are listed from line 11 of Tab.1, where a loop over all buttons starts. Each instance of the loop refers to one button. Implicitly, the button described by the first instance of the while-loop within menu_page_composition_segment() may be considered as "selected" when entering the menu, and may be considered as "activated" if a page timeout for the menu is set and becomes active.

[0025] The button_horizontal_address field specifies the horizontal address of the top left pixel of the button. The specified horizontal position may be in between 0 and video_width-1.

Likewise, the button_vertical_address field specifies the vertical address of the top left pixel of the button. The specified vertical position may be in between 0 and video_height-1.

[0026] The upper_button_number field specifies the button to be selected when the user navigates upward from the current button. The lower_button_number field specifies the button to be selected when the user navigates downward from the current button. The left_button_number field specifies the button to be selected when the user navigates left from the current button. And the right_button_number field specifies the button to be selected when the user navigates right from the current button.

[0027] The start_region_id_normal field specifies the ID of the first region to be presented for a button presentation in normal state, and the end_region_id_normal field specifies the ID of the last region to be presented for a button presentation in normal state. All regions with an ID between and including start_region_id_normal and end_region_id_normal shall exist; if start_region_id_normal differs from end_region_id_normal, that range of regions shall be presented cyclically with the animation frame rate as defined by animation_frame_rate_code.

[0028] The start_region_id_selected field specifies the ID of the first region to be presented for a button presentation in the selected state, and the end_region_id_selected field specifies the ID of the last region to be presented for a button presentation in the selected state. All regions with IDs between start_region_id_selected and end_region_id_selected shall exist; if start_region_id_selected differs from end_region_id_selected, that range of regions shall be presented cyclically with the animation frame rate described by animation_frame_rate_code.

[0029] The start_region_id_activated field specifies the ID of the first region to be presented for a button presentation

in activated state, and the end_region_id_activated field specifies the ID of the last region to be presented for a button presentation in activated state. All regions with IDs between start_region_id_activated and end_region_id_activated shall exist; if start_region_id_activated differs from end_region_id_activated, that range of regions shall be presented once with the animation frame rate described by animation_frame_rate_code.

[0030] The button_command_info() field serves as a container for commands associated with this button, specifying the commands to be performed when the button is activated.

[0031] Finally, the selected_sound_id field specifies the ID of the sound to be played when the button enters the "selected" state, and the activated_sound_id field specifies the ID of the sound to be played when the button enters the "activated" state.

[0032] The invention may be used particularly for menus stored on Blu-ray discs, but also DVD or other optical or non-optical high-capacity storage media.

Claims

1. A method for representing menu buttons (2,3), the menu buttons (2,3) having an associated state, the state being unselected (3), selected (2) or activated, **characterized in that**
 - data representing the menu items and the menu buttons are stored on a storage medium;
 - a menu button is represented differently, depending on its state; and
 - the state of a menu button is specified by its representation, e.g. color, shape or associated sound.
2. Method according to claim 1, wherein the data representing a menu button on the display are image data, being a still picture or a sequence of pictures.
3. Method according to claim 2, wherein for a certain state the sequence of pictures representing a button is repeated as long as the button remains in its state.
4. Method according to claim 2 or 3, wherein the rate at which a sequence of pictures is displayed is stored on said storage medium.
5. Method according to claim 4, wherein the rate is an absolute rate, or relative to the video frame rate.
6. Method according to any of the previous claims, wherein a sound or sound sequence may be associated to a state of a menu button, the sound or sound sequence being played back upon entry of the button into the associated state.
7. Method according to any of the previous claims, wherein the display position of a menu button is determined by a region identifier, the region identifier being stored on said storage medium.
8. Method according to any of the previous claims, wherein the data structure on said storage medium contains a segment defining the page composition, the data segment containing said data representing the menu items and the menu buttons.
9. A storage medium containing a data segment representing menu data, the menu data comprising menu buttons, wherein the menu buttons may be represented according to any of the methods of claims 1-8.
10. An apparatus for displaying a menu on a screen, the menu being controlled by menu data read from a storage medium and the menu comprising menu buttons, wherein the menu buttons may be represented according to any of the methods of claims 1-8.




Fig.1



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 00 6663

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 1 052 644 A (TOKYO SHIBAURA ELECTRIC CO) 15 November 2000 (2000-11-15) * abstract * * paragraph [0003] - paragraph [0018] * * claims 1-10; figure 69 * ---	1-5,7-10	G11B19/02 G06F3/033
X	EP 1 113 442 A (LG ELECTRONICS INC) 4 July 2001 (2001-07-04) * the whole document * ---	1,7-10	
Y	US 2002/054101 A1 (BEATTY ROBERT A) 9 May 2002 (2002-05-09) * abstract * * paragraph [0006] - paragraph [0019] * ---	2,3	
Y	US 2002/054101 A1 (BEATTY ROBERT A) 9 May 2002 (2002-05-09) * abstract * * paragraph [0006] - paragraph [0019] * ---	2,3	
A	WO 02 071197 A (PHILIPS ELECTRONICS NA) 12 September 2002 (2002-09-12) * the whole document * ---	1-3,10	
A	EP 0 898 279 A (SONY CORP) 24 February 1999 (1999-02-24) * the whole document * -----	1-3,10	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			G11B G06F
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		1 September 2003	Benfield, A
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/02 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 03 00 6663

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-09-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1052644	A	15-11-2000	JP 11215466 A	06-08-1999
			EP 1052644 A1	15-11-2000
			US 2003147629 A1	07-08-2003
			US 6553180 B1	22-04-2003
			CN 1291336 T	11-04-2001
			WO 9938167 A1	29-07-1999
EP 1113442	A	04-07-2001	KR 2001060616 A	07-07-2001
			CN 1304252 A	18-07-2001
			EP 1113442 A2	04-07-2001
			JP 2001238278 A	31-08-2001
			US 2001020958 A1	13-09-2001
US 2002054101	A1	09-05-2002	NONE	
WO 02071197	A	12-09-2002	WO 02071197 A1	12-09-2002
EP 0898279	A	24-02-1999	JP 11069284 A	09-03-1999
			CN 1212569 A	31-03-1999
			EP 0898279 A2	24-02-1999
			US 6469718 B1	22-10-2002

LPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82